

MASTER LABEL FOR EPA REG. NO. 71995-XX

Primary Brand Name:

RD 1870 Herbicide

Alternate Brand Names:

Roundup EasyMix Dry Concentrate Weed & Grass Killer

Editorial Notes:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed text [] is optional text and a 'place holder' for graphics].

Text separated by a backslash '/' denotes 'and/or' options.

Refer to APPENDIX 1 for Consolidated List of Label Claims; APPENDIX 2 for Packaging Related Claims.

[Insert Brand Name and Logo]

[Insert Claims from Appendix 1 or 2] [Insert Graphics]

ACTIVE INGREDIENTS:

Glyphosate, ammonium salt[†] 73.3%

Diquat dibromide 2.9%

OTHER INGREDIENTS **23.8%**

TOTAL **100.0%**

[†]One pound of product contains 0.733 lb of the ammonium salt of glyphosate, which is equivalent to 0.666 lb of the acid, glyphosate (66.6%).

Keep Out of Reach of Children

CAUTION

See [back/ side] [panel/ booklet/ label] for additional precautionary statements.

Alternative Text: [See [enclosed] [product] [booklet/ label/ labeling] for [complete] use directions, first aid and [additional] precautionary statements.]

NET [Insert Net contents OZ or LB, see Appendix 2] [Insert Metric Conversion]

[Container filled by weight, not volume]

Net contents of final printed labeling based on various commercial sizes to be marketed

[Insert 2D code/ PPN code/ LB code]

Individual Single-Use Foil Packet Container

[Smaller quantities of this product are packaged in foil packets, which are not labeled for individual sale. These individual units are packaged in an outer container (ex. box) in various quantities with a separate Directions for Use booklet label insert or an attached extended content label.]

[[To Open] Cut Here] [Insert graphic of scissors illustrating opening instructions]

[Insert Brand Name and Logo]

[Insert Claims from Appendix 1 or 2] [Insert Graphics]

ACTIVE INGREDIENTS:

Glyphosate, ammonium salt[†] 73.3%

Diquat dibromide 2.9%

OTHER INGREDIENTS 23.8%

TOTAL **100.0%**

[†]One pound of product contains 0.733 pound of the ammonium salt of glyphosate, which is equivalent to 0.666 lb of the acid, glyphosate (66.6%).

Keep Out of Reach of Children

CAUTION

[See [enclosed] [product] [booklet/ label/ labeling] for complete use directions, first aid and [additional] precautionary statements.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. See separate product labeling for complete Directions for Use, Storage and Disposal, and other important information about this product. Always read and follow label directions.

[NOT LABELED FOR INDIVIDUAL SALE]

©[Insert Year] [Monsanto Company] [Insert Company Name]

[Produced/ Manufactured/ Distributed] [for/ by] [Monsanto Company

Lawn & Garden Products] [Insert Company Name]

[P.O. Box 418 Marysville, OH 43041] [Insert Address]

[Insert phone & computer icons]

[Questions, Comments or Information] [Insert Telephone Number/ 1-800-246-7219] [www.roundup.com]

[Preguntas, Comentarios o Información]

EPA Reg. No. 71995-XX

EPA Est. 65387-AR-001, 11773-IA-1, 239-IA-3^l [Insert Additional Establishments]

[Superscript is first letter of lot number]

[Insert Relevant Trademark Disclosure Statement]

[Manufactured in/ Produced in/ Assembled in/ Product of] [USA/ [Insert Country]] [with [insert# %] or more US parts/ with over [insert# %] US parts/ with foreign and domestic parts]

NET [Insert Net contents OZ or LB, see Appendix 2] [Insert Metric Conversion]

Net contents of final printed labeling based on various commercial sizes to be marketed

[Insert LOT number or LOT number will be printed directly on the container]

[Insert 2D code/ PPN code/ LB code]

Outer Commercial Container (ex. box) for Various Quantities of Single-Use Foil Packets
Front Label:

[Insert Brand Name and Logo]

[Insert Claims from Appendix 1 or 2] [Insert Graphics]

ACTIVE INGREDIENTS:

Glyphosate, ammonium salt[†] 73.3%

Diquat dibromide 2.9%

OTHER INGREDIENTS 23.8%

TOTAL **100.00%**

[†]One pound of product contains 0.733 pound of the ammonium salt of glyphosate, which is equivalent to 0.666 lb of the acid, glyphosate (66.6%).

Keep Out of Reach of Children

CAUTION

See [back/ side] [panel/ booklet/ label] for additional precautionary statements.

Alternative Text: [See [enclosed] [product] [booklet/ label/ labeling] for [complete] use directions, first aid and [additional] precautionary statements.]

NET [Insert # of Packets] [Insert Net contents OZ or LB, see Appendix 2] [Insert Metric Conversion]
[Container filled by weight, not volume]

Net contents of final printed labeling based on various commercial sizes to be marketed

Side and Back Panels:

Optional Section:

PRODUCT FACTS

[KILLS WEEDS/ KILLS ALL TYPES OF WEEDS & GRASSES] [Insert Graphic of grassy, broadleaf & woody weeds]

[Each [packet/ pouch] makes [1/ one] gallon [of spray solution]

[Mix [one/ 1] [packet/ pouch] [1.5 oz/ scoop/ capful] with water to make [a/ 1/ one] gallon of spray solution]

[One/ Each] gallon [of spray solution] [covers/ treats] 300 sq ft.]

[Spot spray or spray evenly [each gallon of spray solution] over 300 sq ft]

[Coverage may vary based on the number, type or size of weeds treated in a given area.]

[Insert Claims from Appendix 1 or 2]

[For outdoor residential use]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions. [See [enclosed] [back] [product] [booklet/ label/ labeling/ insert] for complete use directions [(inside box)].]

WHERE TO USE: On patios, walkways, driveways, gravel areas or mulch beds]; [Around [flower beds/ shrubs [or/ &] trees]; [Along fences/ & / foundations/ retaining walls]; [In large areas for lawn replacement [&/ and] [flowerbed/ landscaping] preparation]; [[Plus/ other] areas where [tough] weeds are invading your yard]

WHERE NOT TO USE: Do not use on or around edible food or feed crops; or where livestock grazing is allowed. Do not use for vegetable garden preparation.

MIXING [AND USE] INSTRUCTIONS: [Use a Tank Sprayer/ Mix into Tank Sprayer] Add [one/ 1] 1.5 oz [packet/ pouch] per gallon of water.] Mix until completely dissolved. Spot treat or spray evenly each gallon of spray solution over 300 sq ft. [Make only what you can use in a day. Spray solution performs best if used the same day of mixing.] [Slower onset of visual results could result from the application of spray solutions allowed to stand overnight.] [See [enclosed] [product] [booklet/ label/ labeling/ insert] [(inside box)] for complete directions for use.] [Read the entire Directions for Use before using.]

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.

User Safety Recommendations:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if product gets inside; then wash thoroughly and put on clean clothing.
- Clothing and protective equipment exposed to this product should be washed separately from other laundry with detergent and hot water.

IMPORTANT: Do not spray plants or grasses you like – they will die. Not recommended for spot weed control in lawns since [this product/ Insert Brand Name] kills lawn grasses. [Do not allow treated weeds to come in contact with desirable plants until spray has dried.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

[Re-entry icon] People and pets may enter treated area after spray has dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the areas during application.

FIRST AID	
IF SWALLOWED	Call a poison center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or physician. Do not give anything by mouth to an unconscious person. Quick treatment is essential to counteract poisoning and should be initiated before signs and symptoms of injury appear.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison center or doctor for further treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison center or doctor for treatment advice.
Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact [Insert Telephone Number] for emergency medical treatment information. [This product is identified as [Insert Brand Name], EPA Reg. No. 71995-NEW.]	

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Diquat is toxic to aquatic invertebrates. Do not apply directly to water. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.**

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[*CONSUMER GUARANTEE: If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.]

©[Insert Year] [Monsanto Company] [Insert Company Name]
[Produced/ Manufactured/ Distributed] [for/ by] [Monsanto Company
Lawn & Garden Products] [Insert Company Name]
[P.O. Box 418 Marysville, OH 43041] [Insert Address]

[Insert phone & computer icons]

[Questions, Comments or Information] [Insert Telephone Number/ 1-800-246-7219] [www.roundup.com]

[Preguntas, Comentarios o Información]

EPA Reg. No. 71995-XX

EPA Est. 65387-AR-001, 11773-IA-1, 239-IA-3¹ [Insert Additional Establishments]

[Superscript is first letter of lot number]

[Insert Relevant Trademark Disclosure Statement(s)]

[Insert Relevant Patent Information Statement(s)] [For a list of patents, if any, covering this product or its use, please go to [insert patent website/ www.monsantotechnology.com/lawnandgarden].]

[Manufactured in/ Produced in/ Assembled in/ Product of] [USA/ [Insert Country]] [with [insert# %] or more US parts/ with over [insert# %] US parts/ with foreign and domestic parts]

Optional Anti-theft device statement: [This [bottle/ box/ package] [may] contain[s] an anti-theft device [, either inside or on the back [of the [bottle/ package]].] [It does not affect product performance.]]

Alternative Text: [Security device included/ [This] [bottle/ box/ package] contains security device.]

[Insert 2D code/ PPN code/ LB code] [Insert UPC Barcode/ Proof of Purchase]

[Insert LOT number or LOT number will be printed directly on the container]

Optional Instructions for Outside Back Extended Content Label

[OPEN/ ABRA]

[Open booklet for details]

[Press to Reseal]

[Resealable Label for Directions & [Precautions/ First Aid]]

[DID YOU KNOW?]

[Insert Brand Name for EPA# 71995-XX] [Insert Claim from Appendix 1 or 2] [Insert Graphics]

Optional Roundup® Graphics Wheel with the following Where To Use, What To Know and How To Use components

WHERE TO USE [Insert Graphics]

- [Around [Flower Beds/ Landscaping]]
- [Around [Trees/ Tree Rings/ & Mulch Beds]]
- [Driveways/ & / Walkways/ Patios/ Gravel [Areas]]
- [Along Fences/ Fence Lines [& Foundations]]

WHAT TO KNOW [Insert Graphics]

- [Rainproof [in/ as fast as] [insert# 1-8] hours]
- [Visible Results as fast as [6/ 12/ 24] Hours]
- [Plant 2-7 Days After Application] [*] [*/(see [label/ booklet/ insert] for details)]

HOW TO USE [Insert Graphics]

- [[Add/ Measure] [one/ 1] [1.5 oz] [packet/ pouch/ scoop] per Gallon of Water[**]]
- [Use a Tank Sprayer/ Mix into Tank Sprayer]
[**Mix only what you can use in a day. Spray solution performs best if used the same day as mixing.]

©[Insert Year] [Monsanto Company] [Insert Company Name]

[Produced/ Manufactured/ Distributed] [for/ by] [Monsanto Company]

Lawn & Garden Products] [Insert Company Name]

[P.O. Box 418 Marysville, OH 43041] [Insert Address]

[www.roundup.com]

EPA Reg. No. 71995-XX

EPA Est. 65387-AR-001, 11773-IA-1, 239-IA-3¹ [Insert Additional Establishments]

[Superscript is first letter of lot number]

[Manufactured in/ Produced in/ Assembled in/ Product of] [USA/ [Insert Country]] [with [insert# %] or more US parts/ with over [insert# %] US parts/ with foreign and domestic parts]

Optional Anti-theft device statement: [This [bottle/ box/ package] [may] contain[s] an anti-theft device [, either inside or on the back [of the [bottle/ package]].] [It does not affect product performance.]]

Alternative Text: [Security device included/ [This] [bottle/ box/ package] contains security device.]

[Insert 2D code/ PPN code/ LB code] [Insert UPC Barcode/ Proof of Purchase]

[Insert LOT number or LOT number will be printed directly on the container]

Instructions for Front of Booklet Insert Label:

[Insert Brand Name and Logo]

[Insert Claims from Appendix 1 or 2] [Insert Graphics]

ACTIVE INGREDIENTS:

Glyphosate, ammonium salt [†]	73.3%
Diquat dibromide	2.9%

OTHER INGREDIENTS	<u>23.8%</u>
--------------------------------	--------------

TOTAL	100.00%
--------------------	----------------

[†]One pound of product contains 0.733 pound of the ammonium salt of glyphosate, which is equivalent to 0.666 lb of the acid, glyphosate (66.6%).

Keep Out of Reach of Children

CAUTION

See [enclosed] [product] [booklet/ label/ labeling/ insert] for complete use directions, first aid and [additional] precautionary statements. [Read the entire Directions for Use [below/ enclosed/ inside] before using.]

EPA Reg. No. 71995-XX

[Insert 2D code/ PPN code/ LB code]

Optional Section:

PRODUCT FACTS

[KILLS WEEDS/ KILLS ALL TYPES OF WEEDS & GRASSES] [Insert Graphic of grassy, broadleaf & woody weeds]

[Each [packet/ pouch] makes [1/ one] gallon [of spray solution]

[Mix [one/ 1] [packet/ pouch] [1.5 oz/ scoop/ capful] with water to make [a/ 1/ one] gallon of spray solution]

[One/ Each] gallon [of spray solution] [covers/ treats] 300 sq ft.]

[Spot spray or spray evenly [each gallon of spray solution] over 300 sq ft]

[Coverage may vary based on the number, type or size of weeds treated in a given area.]

[Insert Claims from Appendix 1 or 2]

[For outdoor residential use]

HOW IT WORKS [Insert Graphics]

[[Glyphosate/ Insert Brand Name/ This product] [is absorbed by the weed's leaves/ enters plants through the foliage]. It moves through the weed to the root, stopping the function of an essential enzyme found in plants.]

[Kills only what you spray.] [Any product not absorbed by the plant breaks down without moving in or on the soil to untreated plants.] [Weeds begin to yellow and wilt as fast as [6/ 12/ 24] hours, with complete kill in 1 to 2 weeks [for [most/ annual] weeds].] [Extremely cool or cloudy weather following treatment may slow activity of this product and delay development of visual symptoms.] [Some [established/ hard-to-kill/ perennial] weeds may take 4 or more weeks for complete kill.] [Weeds die, roots and all – so they don't grow back.] [Individual results may vary.]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always read and follow label directions.

WHERE TO USE [Insert Graphics]

- [On patios, walkways, driveways, gravel areas or mulch beds]
- [Around [flower beds/ shrubs [or/ &] trees]
- [Along fences/ & / foundations/ retaining walls]
- [In large areas:] [-] For lawn replacement [-] [For] [&/ and] [flowerbed/ landscaping] preparation]
- [[Plus/ other] areas where [tough] weeds are invading your yard]

WHERE NOT TO USE

Do not use on or around edible food or feed crops; or where livestock grazing is allowed. Do not use for vegetable garden preparation.

MIXING [AND USE] INSTRUCTIONS [Insert Graphics]

Use of a Roundup® Brand tank sprayer is recommended. A plastic, fiberglass, plastic-lined steel or stainless steel sprayer may also be used. **Do not mix, store or apply using a galvanized or unlined steel (except stainless steel) sprayer.**

- [Add [one/ 1] 1.5 oz [packet/ pouch] per gallon of water.]
Alternative Text: [[Peel/ Pull/ Tear/ off/ Remove] [tamper [resistant/ evident] band/ on bottom of cap.] [Add/ Measure] [one/ 1] 1.5 oz [scoop] per gallon of water [using the measuring cap provided]. [To measure the right amount [of product],] [use [the] [convenient] [easy-measure] [cap/ scoop] [with] [measuring/ scale/ volume/ gradation[s]] [lines/ markings/ marks] [inside]. Close [cap/ container] tightly after use.]
[Mix until completely dissolved.]
- Spot treat or spray evenly each gallon of spray solution over 300 sq ft. **Alternative Text:** [One/ Each] gallon [covers/ treats] 300 sq ft.]
- Make only what you can use in a day. Spray solution performs best if used the same day of mixing. Slower onset of visual results could result from the application of spray solutions allowed to stand overnight.

HOW TO APPLY [Insert Graphics]

- Adjust [sprayer] nozzle to the desired spray setting.
- Spray the weeds or grasses you want to kill until **thoroughly wet**.
- Spot treat or spray evenly each gallon of spray solution over 300 sq ft.
- When spot treating [weeds] around desirable plants, shield plants from drift with a [sheet/ piece] of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water [or cut off treated area].

IMPORTANT: Do not spray plants or grasses you like – they will die. Not recommended for spot weed control in lawns since [this product/ Insert Brand Name] kills lawn grasses. [Do not allow treated weeds to come in contact with desirable plants until spray has dried.]

Optional Section: Select Any of the Options Below

ADDITIONAL TIPS [Insert Graphics]

[To Kill Vines *Alternative Text:* [For/ Vine Treatment]: [If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.] [If spraying regrowth, shield shrubs and immature tree trunks from spray drift with a [sheet/ piece] of cardboard or plastic.]

[For Lawn [Replacement/ Renovation]:] [Use [this product/ Insert Brand Name] to kill [an existing] lawn and [its] weeds before planting a new lawn [or prior to laying a patio, sidewalk or driveway].] ***Alternative Text:*** [For lawn replacement use [this product/ Insert Brand Name] to kill lawn and weeds before planting new lawn.]

- [Skip one mowing before spraying.] [If soil is dry, water the day before application and 2 to 3 days after application.]
- [Use [[1/ one] 1.5 oz [packet/ pouch] per gallon of water for each 300 sq ft. Apply evenly over treatment area.]
- [If green patches remain after 7 days, reapply.]
- [Wait [at least] 7 days after last application to prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris.]
- [Apply seed according to directions on seed package, or install sod. Grass seed must have a good contact with soil to germinate and grow. Keep area moist for 2 weeks to establish new lawn, then water as needed.]

[[For [Flowerbed/ Landscaping] Preparation: Use [this product/ Insert Brand Name] to kill weeds and grasses [brush] before planting flowers, trees or shrubs.]]

- [If soil is dry, water the day before application and 2 to 3 days after application.]
- [Use [[1/ one] 1.5 oz] [packet/ pouch] per gallon of water for each 300 sq ft. Apply evenly over treatment area.]
- [Wait 2 days after last application before planting flowers, trees and shrubs.] [See **When To Replant** section for details.]

[[For] Kudzu: For best results, apply in mid to late summer when vines are mature and actively growing. Spray vines thoroughly.]

[[For] Wild Blackberry: Spray until thoroughly wet when plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.]

[[For] Poison Ivy & Poison Oak: Spray until thoroughly wet when plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply if new growth appears. Contact with these plants anytime of the year can cause an allergic reaction. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.]

WHEN TO APPLY [Insert Graphics]

- Apply when weeds are actively growing. ***Alternative text:*** [Use anytime weeds [and grasses] are actively growing.]
- For best results, apply during warm, sunny weather above 60° F [to accelerate systemic movement from foliage to roots]. [Development of visible results could be delayed in cool or cloudy conditions.]
- [Apply/ Spray] when air is calm to prevent drift to desirable plants.
- RAINPROOF [Protection:]: Rain or watering [insert# 1-8] hours after application will NOT wash away effectiveness. ***Alternative Text:*** [Insert Brand Name] is Rainproof [in/ as fast as] [insert# 1-8] hours.]
- Some established [perennial/ hard to kill] weeds may require a repeat application.
- [Apply when weeds are small and before seeds form.]

Application Restrictions: Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only the person applying this product may be in the area during application.

User Safety Recommendations:

- Wash hands thoroughly after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if product gets inside; then wash thoroughly and put on clean clothing.
- Clothing and protective equipment exposed to this product should be washed separately from other laundry with detergent and hot water.

WHEN TO REPLANT [Insert Graphics]

- All ornamental flowers, trees and shrubs may be planted **2 days after** application.
- Lawn grasses may be planted **7 days after** application.

Optional Section:

HOW TO CLEAN [SPRAYER] [Insert Graphics]

To clean sprayer after use, rinse sprayer and sprayer parts with water 3 times. Spray rinse water on [bare soil or gravel/ treated area]. After cleaning, sprayer may be used for other products.

Optional Section: Select from the list below

KILLS ALL TYPES OF WEEDS AND GRASSES [Insert Graphics]

Kills [insert from the list below] [and other broadleaf weeds/ and other grassy weeds/ and brush]. **Alternative Text:** [CONTROLS WEEDS, GRASSES [AND/ &] BRUSH INCLUDING/ WEEDS CONTROLLED INCLUDE:]

Alternative Text: [Controls [common] weeds, grasses and brush [including]/ [Common] Weeds [grasses/ [&/ and]/ brush] controlled [include:]] [Bermudagrass, Black Medic, Buckhorn Plantain, Buttercup, Common Purslane, Curly Dock, Crabgrass, Goosegrass, Dandelion, Kentucky Bluegrass, Lambsquarters, Annual Morning Glory, Perennial Ryegrass, Spotted Spurge, Fescue, White Clover, and Yellow Nutsedge [insert from the list below] [and other broadleaf weeds, grassy weeds [and/ &] brush]].

Weeds (including): alligatorweed, annual fleabane, annual morningglory, artichoke thistle, bittercress, black medic, blue mustard, black nightshade, blue toadflax, brassbuttons, broadleaf plantain, buckhorn plantain, bur clover, burcucumber, buttercup, Canada thistle, Carolina geranium, cattail, cheeseweed (Malva parviflora), chervil, cocklebur, common groundsel, common chickweed, common mullein, common pokeweed, common purslane, common ragweed, corn speedwell, creeping beggarweed, creeping Charlie, curly dock, dandelion, dog fennel, dollarweed, dwarfdandelion, eclipta, evening primrose, false dandelion, fiddleneck, field bindweed, field pennycress, filaree, Florida pusley, garden spurge, giant ragweed, hairy fleabane, hemp sesbania, henbit, hophornbeam copperleaf, horsenettle, horseradish, horseweed/ marestalk, iceplant, Jerusalem artichoke, knapweed, knotweed, lady's thumb smartweed, lambsquarters, lantana, lespedeza, little bittercress, London rocket, mallow, mayweed, milkweed, mouseear chickweed, oldenlandia, oxalis, Pennsylvania smartweed, pennywort, perennial pepperweed, plains coreopsis (tickseed), poison hemlock, prickly lettuce, primrose, prostrate spurge, puncturevine, purslane speedwell, red clover, redroot pigweed, shepherd's purse, silverleaf nightshade, smallseed falseflax, smooth cats ear, smooth pigweed, sowthistle (annual), Spanishneedles, spotted spurge, spurred anoda, sunflower, swamp smartweed, tansy ragwort, rough fleabane, Russian thistle, tansy mustard, teaweed, Texas blueweed, trumpetcreeper, tumble mustard, velvetleaf, Virginia copperleaf, Virginia creeper, Virginia pepperweed, white clover, whitetop, wild barley, wild morningglory, wild mustard, wild oats, wild sweet potato, woollyleaf bursage, yellow starthistle and other broadleaf weeds

Grasses (including): annual ryegrass, bahiagrass, barnyardgrass, bentgrass, bermudagrass, bluegrass (annual), bluegrass (bulbous), bluegrass (Kentucky), bromegrass, browntop panicum, Carolina foxtail, cheat, cogongrass, crabgrass, creeping bentgrass, dallisgrass, eastern mannagrass, fall panicum, fescue species, field sandbur, giant foxtail, goosegrass, guineagrass, green foxtail, itchgrass, Johnsongrass (seedling), jointed goatgrass, kikuyugrass, little barley, lovegrass, maidencane, medusahead, napiergrass, nimblewill, orchardgrass, pampasgrass, para grass, perennial ryegrass, purple nutsedge, quackgrass, ryegrass, sandspur, signalgrass broadleaf, smooth bromegrass, sprangletop, St. Augustinegrass, shattercane, stinkgrass, Texas panicum, timothy, torpedograss, vaseygrass, witchgrass, wooly cupgrass, yellow foxtail, yellow nutsedge (nutgrass), western wheatgrass, zoysia and other grassy weeds

Brush (Tough Weeds), Tree Seedlings & Vines (including): Alder, ash, aspen (quacking), beech, birch, blackberry, blue gum eucalyptus, blackgum, black locust, broom (French, Scotch), ceanothus, chamise, cherry, coyote brush, dewberry, dogwood, elderberry, elm, eucalyptus, German ivy, giant reed, hawthorn, hazel, honeysuckle, kudzu, locust, madrone, maple, oak, persimmon, pine, poison oak, poison ivy, poison sumac, poplar, raspberry, redvine, sage, salmonberry, saltcedar, sassafras, southern wax myrtle, sumac, sweetgum, tan oak, thimbleberry, tree tobacco, vine maple, wild blackberry, wild buckwheat, wild rose (multiflora) willow and other tough weeds

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS & DOMESTIC ANIMALS****KEEP OUT OF REACH OF CHILDREN**

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

[Re-entry icon] People and pets may enter treated area after spray has dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the areas during application.

FIRST AID**IF SWALLOWED**

Call a poison center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or physician. Do not give anything by mouth to an unconscious person. Quick treatment is essential to counteract poisoning and should be initiated before signs and symptoms of injury appear.

IF INHALED

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison center or doctor for further treatment advice.

IF IN EYES

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison center or doctor for treatment advice.

Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact [Insert Telephone Number] for emergency medical treatment information. [This product is identified as [Insert Brand Name], EPA Reg. No. 71995-NEW.]

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is toxic to aquatic invertebrates. Do not apply directly to water. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.**

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

[Guaranteed Satisfaction.*]

Optional Section

***CONSUMER GUARANTEE**

If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

Optional Section

ROUNDUP FAMILY OF PRODUCTS

[Roundup® Lawn & Garden products have the best solutions to your toughest weed problems.] [Visit the Roundup website, www.roundup.com], to learn more about the Roundup family of products.]]
[Insert Claims from Appendix 1]

Optional Spanish Translations:

[Insert generic logo and brand name in English & Spanish]

[Insert Label Language in Spanish as Applicable]

Base Label Information on the Container under the Back Extended Content Label:

[Insert generic logo and brand name in English & Spanish]

Insert applicable instruction along side of base label:

[Resealable Label for Directions & Precautions / Etiqueta re-cerrable para instrucciones y avisos de precaución.]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

KEEP OUT OF REACH OF CHILDREN

CAUTION: Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

[Re-entry icon] People and pets may enter treated area after spray has dried. Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the areas during application.

FIRST AID	
IF SWALLOWED	Call a poison center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or physician. Do not give anything by mouth to an unconscious person. Quick treatment is essential to counteract poisoning and should be initiated before signs and symptoms of injury appear.
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison center or doctor for further treatment advice.
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eyes. Call a poison center or doctor for treatment advice.
Emergency Medical Information: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact [Insert Telephone Number] for emergency medical treatment information. [This product is identified as [Insert Brand Name], EPA Reg. No. 71995-NEW.]	

ENVIRONMENTAL HAZARDS: To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. This product is toxic to aquatic invertebrates. Do not apply directly to water. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

[PHYSICAL OR CHEMICAL HAZARDS: Spray solutions of this product may be mixed, stored and applied using stainless steel, fiberglass, plastic or plastic-lined steel containers. **DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS.]**

[See inside booklet for additional precautionary statements.]

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a safe place away from direct sunlight.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available. **If Partly Filled:** Call your local solid waste agency [or Insert Telephone Number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[Insert phone & computer icons]

[Questions, Comments or Information]

[Insert Telephone Number/ 1-800-246-7219] [www.roundup.com]

[Preguntas, Comentarios o Información]

©[Insert year] [Monsanto Company] [Insert Company Name]

[Produced/ Manufactured/ Distributed] [for/ by] [Monsanto Company]

Lawn & Garden Products] [Insert Company Name]

[P.O. Box 418

Marysville, OH 43041] [Insert Address]

EPA Reg. No. 71995-XX

EPA Est. 65387-AR-001, 11773-IA-1, 239-IA-3¹ [Insert Additional Establishments]

Superscript is first letter of lot number

[Made in/ Manufactured in/ Produced in/ Assembled in/ Product of] [USA/ [Insert Country] [with [insert# %] or more US parts/ with over [insert# %] US parts/ with foreign and domestic parts]]

[Insert Relevant Trademark Disclosure Statement(s)]

[Insert Relevant Patent Information Statement(s)] [For a list of patents, if any, covering this product or its use, please go to [insert patent website/ www.monsantotechnology.com/lawnandgarden].]

Optional Anti-theft device statement: [This [bottle/ box/ package] [may] contain[s] an anti-theft device [, either inside or on the back [of the [bottle/ package]].] [It does not affect product performance.]

Alternative Text: [Security device included/ [This] [bottle/ box/ package] contains security device.]

[Insert 2D Code/ PPN code/ Insert LB code] [UPC Code/ Proof of Purchase]

APPENDIX 1: Consolidated List of Label Claims

- **Product guarantee statement for use throughout*** [Guaranteed Satisfaction/ Consumer Guarantee] If for any reason you are not satisfied after using this product, simply send us the original proof of purchase and we will [replace the product or] refund the purchase price.
- Absorbed into both broadleaf and grassy weeds
- Absorbs on contact [, starts working immediately with visible results as fast as [6/ 12/ 24] hours]]
- Absorbed through the leaves, it goes all the way to the root for total kill [on weeds you directly spray]
- Add [1/ one] [1.5 oz] [packet/ scoop] per gallon of water
- [Apply/ Use/ Can be used] [with confidence] [in/ on/ around/ along] [trees/ tree rings/ shrubs/ ornamentals/ houses/ buildings/ garages/ sheds/ cabins/ lodges/ barns/ buildings/ foundations/ retaining walls/ under decks/ wooded lots/ vacant lots/ dense/ fields/ trails/ storage areas/ recreational areas/ parks/ sports facilities/ camp sites/ tent areas/ fences/ fence lines/ mulch/ mulched/ paths/ pathways/ patios/ pavers/ driveways/ sidewalks/ walks/ walkways/ rockways/ gravel areas/ stairs/ [RV/ boat] parking [areas/ lots]/ or/ other areas tough weeds are growing]
- Be smarter than your weeds
- Before [Insert graphic of live weed]/ After [Insert graphic of dead weed]
- Begins absorbing on contact
- Begins [to work/ working] on contact with visible results as fast as [6/ 12/ 24] hours]
- Can be used [to control weeds/ for weed control] [in xeriscaping/ to maintain xeriscapes]
- Concentrated for extra value
- Concentrate[d] formula
- Consumer Guarantee: * [see/ open] [booklet/ label] for details] **qualify guarantee**
- Control weeds with confidence
- Covers 300 sq ft per gallon [of spray/ solution]
- Dissolves quickly [in water]
- [Dissolves/ Mixes] in all [water] temperatures
- Does not have soil activity
- Draw the line™ [[with/ against] weeds] [in your [yard/ landscaping]]
- Economical [concentrate formula]
- Even if it rains after [insert # 1-8] hours – [Insert Brand Name] won't lose its effectiveness
- Fast-acting [formula] [for visible results as fast as [6/ 12/ 24] hours]
- For general weed control - kills weeds and grasses in 1 to 2 weeks - roots and all
- For [outdoor] residential use [only]
- For use [on/ in] [driveways/ patios/ gravel areas/tree rings/ mulch beds/ flowerbed and landscape preparation/ lawn renovation/ fence lines/ landscapes/ foundations]
- For weeds in your lawn, try Roundup® For Lawns
- Formulated for [outdoor] residential use
- Got Tough Weeds – Get [Insert brand name]
- [Granules] dissolve[s] in [warm/ cold] water
- [Great/ Ideal] [value] [for/ large/ big] [jobs/ projects/ areas]
- [Great for/ Ideal for/ Perfect for/ tough-to-reach weeds] [use/ in/ on/ around/ along] [trees/ tree rings/ shrubs/ ornamentals/ houses/ buildings/ garages/ sheds/ cabins/ lodges/ barns/ buildings/ foundations/ retaining walls/ under decks/ wooded lots/ vacant lots/ dense/ fields/ trails/ storage areas/ recreational areas/ parks/ sports facilities/ camp sites/ tent areas/ fences/ fence lines/ mulch/ mulched/ paths/ pathways/ patios/ pavers/ driveways/ sidewalks/ walks/ walkways/ rockways/ gravel areas/ stairs/ [RV/ boat] parking [areas/ lots]/ or/ other [non-lawn] areas/ [tough] weeds are growing]
- Ideal for killing unwanted weeds and grasses [throughout your yard]. Use along fences; in cracks of walks, drives and patios; and around flower beds, trees and shrubs
- Just add the granules into the tank sprayer, mix with water and go!
- Just add water!

- Hard on weeds, easy on you [*/ versus/ vs./ compared to/ hand pulling] **qualify, must select from optional text**
- Kills [annual and perennial] weeds, grasses and other unwanted plants
- Kills all types of [tough] weeds [and/ &/ grasses]
- Kills even the toughest weeds
- Kills [existing] [tough] weeds [& grasses] [to the root/ roots and all]
- Kills [only] what you [directly] spray [will not affect untreated plants]
- Kills over 200 [different/ types/ species/ kinds/ of] weeds[*]/ [*/(as listed)/ as listed/ below/ on the [product] label]
- Kills [landscape/ driveway/ patio/ hardscape] weeds
- Kills the roots of [both] broadleaf and grassy weeds
- Kills [the toughest weeds and grasses to] the root so [weeds/ they] don't come back
- Kills the weed you see and the root you don't
- Kills [to] the root[s] [Guaranteed[!/*]] **qualify guarantee**
- Kills [to] the root[s] [so [treated] weeds don't come back] [guaranteed] **qualify guarantee**
- Kills Tough Weeds [& Grasses] [to the Root]
- [Kills/ Controls/ Spray/ Target] [tough/ woody/ brush/ vines/ weeds/ grasses/ poison ivy/ [and/ &]] [in/ on/ around/ along] [trees/ tree rings/ shrubs/ ornamentals/ houses/ buildings/ garages/ sheds/ cabins/ lodges/ barns/ buildings/ foundations/ retaining walls/ under decks/ wooded lots/ vacant lots/ dense/ fields/ trails/ storage areas/ recreational areas/ parks/ sports facilities/ camp sites/ tent areas/ fences/ fence lines/ mulch/ mulched/ paths/ pathways/ patios/ pavers/ driveways/ sidewalks/ walks/ walkways/ rockways/ gravel areas/ stairs/ [RV/ boat] parking [areas/ lots]/ or/ other non-lawn areas [tough/ weeds are growing]]
- Kills Ugly, Annoying Weeds
- Kills unwanted weeds [and grasses]] [clear/ down to the root/ roots and all]
- Kills vines
- Kills weeds clear down to the root, so weeds don't come back – guaranteed **qualify guarantee**
- Kills weeds dead
- Kills weeds in flowerbeds, around trees, shrubs and fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways, and other areas in your yard
- Kills weeds and grasses in – Patios – Driveways – Sidewalks – Ornamental Gardens and other non-lawn areas
- Kills what you directly spray, no residual [herbicidal] activity in soil
- Kills weeds, roots and all
- Kills what you directly spray
- Make only what you need
- Mix into [pump-up/ pressurized] tank sprayer
- Mix until completely dissolved
- [Mixes/ dissolves] in [less than a minute/ under a minute]
- Multipurpose grass and broadleaf weed control
- No residual [herbicidal] activity in soil
- No root. No weed. No problem.®
- Non-staining [formula]
- Once it enters the plant, it won't wash off
- Outdoor use only [Insert Graphic]
- Proven performance: for [more than/ 40/ insert #] years
- [Provides] [visible] results [in/ as fast as] [6/ 12/ 24] hours
- [RainFast/ RAINPROOF/ Rainproof Protection:] [in/ as fast as] [insert# 1-8] hours
- Roundup® brand products help you triumph over the toughest weeds
- [Insert Brand Name] can be used to control weeds and grasses in [paver] patios, walkways and driveways; along fences; under decks; in [landscaped/ mulched] beds; or around flowers, shrubs and trees
- Satisfaction guaranteed or [we will gladly refund purchase price/ your money back with proof of purchase] **qualify guarantee**
- Spray the leaves, not the root

- Spray the [weed/ leaves] to kill the root!
- [Spray weeds/ Use] in flowerbeds, around trees, shrubs and around fences, and on patios, paths, sidewalks, sidewalk cracks, walkways, driveways[, and other non-lawn areas in your yard]
- Starts working [immediately] with visible results as fast as [6/ 12/ 24] hours
- Systemic grass and weed killer for spot treatment of undesirable vegetation
- The tough weed solution
- [This product/ [Insert Brand Name]] is absorbed by the weed leaves
- Tough formula [kills to the roots]
- Unlike hand pulling, [Insert Brand Name/ this product] kills all the way to the roots
- Use [insert#] of scoops per gallon [of water]
- Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways.
- Use as a first step for renovating or replanting your lawn
- [Use] For Brush Control
- [Use] For General Weed Control: Use along fences, paths, patios, sidewalks and driveways, around trees, shrubs, ornamental plantings, flowerbeds, and buildings, and in brick and gravel walkways
- [Use] For Landscaping: Use to prepare areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flowerbeds or similar plantings.
- Use for large jobs [like/ such as] [flower bed/ landscape bed/ landscape area] preparation and lawn [replacement/ renovation]
- [Use] For Lawn Renovation
- [Use] For Spot Spraying: Use in and around flowerbeds, ornamentals, trees, vines, shrubs, fences, driveways and walkways
- Use to prepare sites: for large plantings, for planting flowerbeds, trees, ornamentals, landscape areas, and renovating lawns
- Use to trim and edge landscape areas
- Visible effects are gradual wilting and yellowing advancing to complete browning and root destruction
- Visible Results as fast as [6/ 12/ 24] Hours!
- Water Soluble Granule[s]
- Weeds usually yellow and wilt as fast as [6/ 12/ 24] hours
- Will not affect untreated plants
- [With] Quick Dissolve Technology
- Works on [insert or select from weed list]
- Works only when absorbed by the [foliage/ leaves] of weeds
- Works systemically

Promotional Offering Options

- [Insert #] [Pre-measured/ Concentrate] Packets [Included]
- [Insert Value]% Free [More] [than X] **qualify**
- [Insert Value]% More in Each Box [than X] **qualify**
- [Insert Value]% More [VALUE SIZE] [than X] **qualify**
- [Insert Dollar Amount] Rebate
- Bonus [Size/ Pack/ Pak]
- BONUS SIZE [Insert Value]% MORE! [than X] **qualify**
- Bundle Pack
- Buy [insert # containers] Get [insert dollar amount/ insert X%] Off
- Can be used in [Insert Packaging Type/ Sprayer Type]
- Club [Pack/ Pak / Size]
- Combo [Pack/ Pak/ Size]
- [Each] [pre-measured/ concentrate] [packet] makes [a/ one/ 1] gallon [of spray solution]
- FREE [Insert Brand Name] a [Insert Dollar Amount] [VALUE]
- Free [Insert Container Size] [Insert Brand Name] [Concentrate/ Packet] [Included/ Attached/ Inside/ With Purchase/ Coupon]
- Free [Insert free offering Description] with this purchase of [Insert Brand Name] [Insert Container Size]
- FREE [Insert Brand Name] SAMPLE [Included/ Attached/ Inside/ With Purchase]
- FREE SAMPLE
- Great Value
- Great value – [makes [insert value from Appendix 2] gallons [and/ &] [covers/ treats] [Insert Value from Appendix 2 table] sq ft
- Introducing [insert brand name/ water soluble granules] **Use only if new package or formulation**
- Larger size* **qualify** *compared to [insert container size]
- Larger size* [covers [Insert value] sq ft/ makes [insert value from Appendix 2] gallons [of spray solution]]
- NEW! **Use only if new package or formulation**
- NOT [LABELED] FOR INDIVIDUAL SALE **For use on individual units without barcodes, which are part of a multipack or copack**
- NOW! **Use only if new package or formulation**
- [Same Roundup brand] Now in a [water soluble] granule [form]! **Use only if new package or formulation**
- SAMPLE NOT FOR SALE
- Save [up to] \$ [Insert Value] on [your] next purchase
- Tank Sprayer [With/ Plus] Concentrate
- TWIN [PACK/ PAK]
- Value [Pack/ Pak]
- VALUE [SIZE/ SIZED]

APPENDIX 2: Packaging Related Claims

Calculation of Spray Coverage

- To determine approximate quantity of spray solution by container, divide the net contents in ounces by 1.5 oz per gallon.
- To determine how many square feet can be treated, multiply # gallons of spray solution by 300.

Other Packaging Related Claims:
--

- [Apply with/ Use in] a Roundup® brand [tank/ Multi Purpose] Sprayer [or a [handheld] trigger sprayer]
- As easy as 1) Open 2) Pour [into measuring [cap/ cup] 3) Mix [with water] 4) Apply
- [Box/ Container/ Package/ Pouch/ Bag/ Jug] contains [insert #] [concentrate] [single] [packets/ pouches]
- [Box/ Container/ Package/ Pouch/ Bag/ Jug] [insert# packets] makes [insert #] of gallons
- [Insert #/ 1.5oz] [concentrate] packet[s] makes [insert #] [gallon[s]]
- [Insert #/ packets] [per] [box/ container/ package/ pouch/ bag/ jug] makes [insert #] [gallon[s]]
- Cap is a measuring cup
- Cap works as a measuring cup [to help you use the right amount]
- Close tightly while pushing down to turn [Insert Arrow Graphics]
- Comes with [insert #] of [concentrate] [single/-use] [packets/ pouches]
- [Container/ bottle/ bucket/ package/ pouch/ bag/ box/ jug] makes [insert #] gallons
- Convenient [pre-measured/ concentrate/ single/ packets/ pouches]
- Designed for [ease/ convenience] [of measurement] **applies to single packets only**
- [Easy-Measure/ Easy measure] [cup/ cap/ scoop]
- Easy measure [concentrate] [single] [packets/ pouches]
- Easy to apply with a [Roundup® brand] [tank/ hand-held/ Multi Purpose] sprayer
- Easy to [see/ read] measuring lines
- Easy to Use
- For [insert # of gallons] fill the scoop to [insert #] [line/ bar]
- For Roundup® Use Only **Embossed on Cap**
- Includes [built in] Measuring [Cap/ Cup]
- Less mess*= *compared to liquid formulas
- Measure the granules with the [cap/ scoop]
- Measuring [cap/ scoop] included
- Measuring [cap/ cup] makes it easy to use the right amount
- [Measuring/ scale/ volume/ gradation] [lines/ markings/ marks] are inside [of/ the] [easy-measure] cap
- [Peel/ Pull/ Tear/ off/ Remove] [tamper [resistant/ evident] band/ on bottom of cap]
- No [mess] measuring [no guesswork] [less mess] [formula/ granules] **applies to single packets only**
- No more worries about mixing, measuring or messes
- Portable [pre-measured/ concentrate/ single/ packets/ pouches]
- Pre-measure [concentrate] [single] [packets/ pouches]
- Space-Saving [design/ package]
- Squeeze, turn, press cap [and turn/ while turning] [to open] [Insert graphic]
- [Step] 1: [Tear/ Slide/ Cut] Open [Packet/ Pouch/ Bag/ Box/ Package/ Jug] [Step] 2: [Pour/ Scoop] [Granules] [into] [Tank/ Sprayer] [Step] 3: [Mix/ Dilute] [with water]
- Storage friendly design
- [This product] Avoid[s] shipping water
- [This product] Reduce[s] shipping impact by shipping [no/ without] water
- Use [the/ easy-measure] cap to measure 1.5 oz per Gallon [of water] [Insert graphics]
- [Use [the] [measuring/ scale/ volume/ gradation] [lines/ markings/ marks] inside [of/ the] [easy-measure] cap]
- With [the convenient] measuring [cup/ cap], mixing [Insert Brand Name] has never been [easier/ this fast and easy]